




SKU N635P380541
N635P380542

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Fuzhou Pure Charm International Trade Co., Ltd.
Adresse	No. 3 Building, 706, Wusi North Taihe Square, Xindian Town, Linian District, Fuzhou City
Email/URL	www.purecharm.com
Partienummer	E494CJL20250904TG
Hergestellt in	China
EC REP	
Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de	



EN_IMPORTANT,RETAINFORFUTUREREFERENCE;READCAREFULLY.
FR_IMPORTANT:ALIREATTENTIVEMENTETA CONSERVERPOURCONSULTATION
ULTERIEURE.
ES_IMPORTANTE,LEAYGUARDEPARAFUTURASREFEREBCUAS.
DE_„WICHTIG!SORGEALTIGLESENUNDFURSPATERNACHSCHLAGENAUFBEWAHREN.“
IT_IMPORTANTE!CONSERVAREILPRESENTEMANUALEPERFUTURORIFERIMENTO E
LEGGERLOATTENTAMENTE.

EN

Dear customer,

Thank you for purchasing this product. So that your appliance serves you well, please read all the instructions in this user's manual. If you have any questions, please contact our customer care center.

FR

Cher client,

Nous vous remercions d'avoir acheté ce produit. Afin que vous puissiez profiter pleinement de votre appareil, veuillez lire toutes les instructions de ce manuel d'utilisation. Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle.

DE

Sehr geehrter Kunde,

Vielen Dank, dass Sie dieses Produkt erworben haben. Damit Ihr Gerät Ihnen gute Dienste leistet, lesen Sie bitte alle Hinweise in diesem Benutzerhandbuch. Wenn Sie Fragen haben, wenden Sie sich bitte an unser Kundendienstzentrum.

ES


Queridos clientes,

Gracias por comprar este producto. Para que su electrodoméstico le sirva mejor, lea todas las instrucciones de este manual del usuario. Si tiene alguna pregunta, comuníquese con nuestro Centro de Atención al Cliente.

IT


Caro Cliente,


Grazie per aver acquistato questo prodotto. Per servirti meglio con questo apparecchio ti prego di leggere tutte le istruzioni in presente manuale utente. In caso di dubbio, si prega di contattare il nostro centro assistenza clienti.



Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.





EN_QUICKFIT:Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.


FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'a ce que l'epaulement soit parfaitement encstre dans le panneau.Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT:Apriete quickfit hasta que el hombro se descargue con el panel.NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT:Ziehen Sie den quickfit fest,bis die Schulter mit der Platte bundig ist.

Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino aquando la spalla e a filo con il pannello,non stringere troppo o troppo poco.




EN_CAM LOCK:When fitting cam lock,ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse,veillez a la bonne orientation avant d'insérer le raccord rapide,

ES_CIERRE DE LA CAMARA:Cuando instale el cierre de la camara,asegurese de que la posicion de inicio es correcta antes de que inserte el quickfit conector,

De_CAM-LOCK:Achten Sie bei der Montage des Cam-locks auf die richtige Ausgangsposition,bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma,assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assembles,la tete du raccord rapide doit reposer au centre de la serrure batteuse.

Il faut inserer la serrure batteuse avant le raccord rapide.

ES_EL cabezal del quickfit debe estar en el centro del cierre de la camara cuando se unan los dos paneles.

Se debe insertar el cierre de la camara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-locks befinden,wenn die beiden Platten zusammengefügt sind.

Der Cam-lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.






EN_Turn cam lock clockwise to tighten.























FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la camara en sentido horario para apretarlo.


DE_Drehen Sie den Cam-Lock im Uhrzeigersinn,um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.







N635P380541




1




2




3




4




5




6




7




11




12




16




24x3




25x3




32




33



34




























35




38


N635P380542

 <p>8</p>	 <p>9</p>	 <p>10</p>	 <p>13</p>	 <p>14x2</p>
 <p>15x2</p>	 <p>17</p>	 <p>18x2</p>	 <p>19x2</p>	 <p>20x2</p>
 <p>21</p>	 <p>22</p>	 <p>23</p>	 <p>26</p>	 <p>27</p>
 <p>28</p>	 <p>29</p>	 <p>30</p>	 <p>31</p>	 <p>36</p>
 <p>37</p>	 <p>39</p>	 <p>40x2</p>	 <p>41</p>	 <p>42x2</p>

N635P380541




Ax40




Bx72



Cx72




Dx64



Ex7




Fx7




Gx1




Hx57



Ix3




Jx8




Kx48




Lx28



Mx8




Nx1




Ox1




Px2




Qx2




Rx2




CLx1



CRx1







DLx1






DRx1



1




2






3






4










5






6





7






8









9




10






11





12







13










14






15




16




17





18



19




21




Ax2



Px2



Qx2



Rx2

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-25070715599C-R1

Certificate's Holder : Natulighting(shenzhen) TechnologyCo.,LTD
2nd Floor, Building A9, Xinghua Xiong Industrial Park,
Baihuadong, Guangming District, Shenzhen

Manufacturer : Natulighting(shenzhen) TechnologyCo.,LTD
2nd Floor, Building A9, Xinghua Xiong Industrial Park,
Baihuadong, Guangming District, Shenzhen

Trade Mark : N/A

Product : Colorful Light strip

Model(s) : 5V-60-RGB
5V-30-RGB

REQUIREMENT	STANDARD	Report No.
Art.3.1(a) Safety	EN IEC 62368-1:2024+A11:2024	ZKT-25070715600S-R1
Art.3.1(a) Health	EN IEC 62311:2020 EN 50665:2017	ZKT-25070715599E-1-R1
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.1 (2024-09) ETSI EN 301 489-3 V2.3.2 (2023-01)	ZKT-25070715599E-2-R1
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-25070715599E-3-R1
	ETSI EN 300 440 V2.2.1 (2018-07)	ZKT-25070715599E-4-R1

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.



Product Service

Attestation of Conformity

No. N8A 120613 0002 Rev. 00

Holder of Attestation: **DONGGUAN BAIYOU ELECTRONIC CO.,LTD**

2F A Building Wufeng Industrial, Jintan Road, Shijie Town
523290 Dongguan City
PEOPLE'S REPUBLIC OF CHINA

Product: **Multiple Socket Outlets**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 874102337701-00

Date, 2023-09-06

(Jie Zhu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 120613 0002 Rev. 00

Model(s): BY213-G01 1Y, BY213-G01 1Y-C,
BY213-G02 1Y, BY213-G02 1Y-C,
BY213-G03 1Y, BY213-G03 1Y-C,
BY213-G04 1Y, BY213-G04 1Y-C

Parameters:

Rated voltage:	250V~
Rated frequency:	50Hz
Rated current:	16A
Protection class:	I
Degree of protection:	IP20
Type of cable:	H05VV-F 3G1.0mm ² or H05VV-F 3G1.5mm ²
Remark:	<p>For BY213-G01 1Y, BY213-G02 1Y, BY213-G03 1Y, BY213-G04 1Y: USB rated output voltage:5.0VDC USB rated output current: Single Type A: 2.1A max Type A + Type A: 2.1A max</p> <p>For BY213-G01 1Y-C, BY213-G02 1Y-C, BY213-G03 1Y-C, BY213-G04 1Y-C: USB rated output voltage:5.0VDC USB rated output current: Single Type A: 3.0A max Single Type C: 3.0A max Type A + Type C: 3.1A max USB rated output voltage:9.0VDC USB rated output current: Single Type A: 2.0A max Single Type C: 2.22A max USB rated output voltage:12.0VDC USB rated output current: Single Type A: 1.5A max Single Type C: 1.87A max</p>

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 120613 0002 Rev. 00

Model	Number of socket-outlets	With two USB ports, type A +type A	With two USB ports, type A +type C
BY213-G01 1Y	1	Yes	No
BY213-G01 1Y-C	1	No	Yes
BY213-G02 1Y	2	Yes	No
BY213-G02 1Y-C	2	No	Yes
BY213-G03 1Y	3	Yes	No
BY213-G03 1Y-C	3	No	Yes
BY213-G04 1Y	4	Yes	No
BY213-G04 1Y-C	4	No	Yes

**Tested
according to:**

IEC 60884-1:2002
IEC 60884-1:2002/AMD1:2008
IEC 60884-1:2002/AMD2:2013
IEC 60884-2-7:2011
IEC 60884-2-7:2011/AMD1:2013
SS 428 08 34:2013/IT1:2018

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®