


ASSEMBLY INSTRUCTION


ItemNumber : N604P353103
N636P353104
N636P353105

Our bed will be sent to you in 3 packages. The delivery time of these 3 parcels may be different. Please be patient. Thank you for your understanding.

Bed 190*90cm



**UK
CA**



English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano



IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español

¡ IMPORTANTE ! CONSERVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.




INSTRUCTIONS

IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

- a) **WARNING** -Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 230 mm.
- b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- c) **WARNING**-Do not climb or wiggle on any non-designated structures.
- d) it is imperative to always follow the installation instructions and manufacturer's use.
- e) The recommended size of the mattress to be used with the bed is 190cmx90cm, maximum thickness mattress:13cm.
- f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.
- i) Meets European standard requirements NC safety EN747-1/-2:2024.



Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.




DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.

ASSEMBLY INSTRUCTIONS



ASSEMBLY INSTRUCTIONS

N604P353103

1		1PC	20		2PCS
2		1PC	21		1PC
3		1PC	22		1PC
4		1PC	23		4PCS
5		1PC	36		2PCS
6		1PC	44		1PC
7		1PC	45		1PC
8		1PC	47		2PCS
9		36PCS	48		3PCS
10		1PC	53		4PCS
11		2PCS	55		1PC
12		2PCS	56		1PC
15		1PC	58		1PC
16		1PC	60		1PC
17		2PCS	61		1PC
18		4PCS	62		2PCS
19		2PCS			







ASSEMBLY INSTRUCTIONS

N604P353103







A	6x100		18PCS	P	Ø8x40		4PCS
B	6x70		7PCS	R	4x30		36PCS
C			43PCS	S	M4		2PCS
D	Ø8x30		72PCS	U			1PC
E	6x20		3PCS	V		 V1  V2	4PCS
F	6x30		3PCS	W	6x90		8PCS
G	7x50		24PCS	X	6x60		8PCS
H			70PCS	Y	6x50		2PCS
I			78PCS	Z		  	1PC
J	4x12		67PCS	CL			2PCS
L		 	2PCS	CR			2PCS
M			6PCS	DL			2PCS
N			2PCS	DR			2PCS
O			4PCS				

ASSEMBLY INSTRUCTIONS

N604P353104


14		1PC	33		1PC
30		2PCS	34		2PCS
31		1PC	38		1PC
32		1PC	39		1PC
40		1PC	49		2PCS
41		1PC	57		1PC
42		1PC	59		1PC
43		1PC			

N604P353105

13		1PC	29		1PC
24		1PC	37		1PC
25		1PC	46		1PC
26		1PC	50		2PCS
27		1PC	51		2PCS
28		1PC	52		2PCS
			54		2PCS

ASSEMBLY INSTRUCTIONS


1



E	6x20		3PCS	F	6x30		3PCS	S	M4		2PCS
---	------	---	------	---	------	---	------	---	----	---	------

ASSEMBLY INSTRUCTIONS

2




A	6x100	
P	Ø8x40	
W	6x90	
X	6x60	
Y	6x50	

B	6x70		7PCS
C			7PCS
D	Ø8x30		11PCS
S	M4		1PC


ASSEMBLY INSTRUCTIONS

3




ASSEMBLY INSTRUCTIONS

4






B	6x70	
P	Ø8x40	
W	6x90	
X	6x60	
Y	6x50	


A	6x100		12PCS
C			12PCS
D	Ø8x30		8PCS
S	M4		1PC



ASSEMBLY INSTRUCTIONS


5



D	Ø8x30		1PC	H		18PCS	I		16PCS
---	-------	---	-----	---	---	-------	---	---	-------

ASSEMBLY INSTRUCTIONS

6





I




2PCS

ASSEMBLY INSTRUCTIONS




7



D	Ø8x30		1PC	G	7x50		4PCS	P	Ø8x40		
H			10PCS	I			4PCS	S	M4		1PC

ASSEMBLY INSTRUCTIONS


8



D	Ø8x30		1PC	I		6PCS	P Ø8x40 
---	-------	---	-----	---	---	------	---


ASSEMBLY INSTRUCTIONS

9



ASSEMBLY INSTRUCTIONS


10



C		8PCS	P  Ø8x40					
D	Ø8x30 	8PCS	W  6x90	8PCS	S	M4		1PC

ASSEMBLY INSTRUCTIONS


11



A	6x100		6PCS	X	6x60		8PCS	P	Ø8x40		
C			14PCS	D	Ø8x30		8PCS	S	M4		1PC

ASSEMBLY INSTRUCTIONS

12







J

4x12





6PCS

13





ASSEMBLY INSTRUCTIONS

14



D	Ø8x30		2PCS	G	7x50		4PCS	P	Ø8x40		
H			4PCS	I			4PCS	S	M4		1PC




15



D	Ø8x30		5PCS	P	Ø8x40		4PCS			
H			7PCS	I			11PCS	0		2PCS

ASSEMBLY INSTRUCTIONS




16



D	Ø8x30		3PCS	G	7x50		4PCS	H		3PCS	
I			3PCS	J	4x12		9PCS	S	M4		1PC

ASSEMBLY INSTRUCTIONS



17



J	4x12		12PCS	CL		2PCS	CR		2PCS
---	------	---	-------	----	---	------	----	---	------

ASSEMBLY INSTRUCTIONS


18



D	Ø8x30		12PCS	G	7x50		12PCS	H		16PCS
I			16PCS	J	4x12		12PCS	L		2PCS
S	M4		1PC	DL			2PCS	DR		2PCS

ASSEMBLY INSTRUCTIONS





19



R	4x30		6PCS
---	------	---	------

ASSEMBLY INSTRUCTIONS




20



J	4x12		8PCS	M		2PCS
---	------	---	------	---	---	------


ASSEMBLY INSTRUCTIONS


21



ASSEMBLY INSTRUCTIONS





22



H		8PCS	J	4x12		4PCS	N		2PCS
---	---	------	---	------	---	------	---	---	------

ASSEMBLY INSTRUCTIONS



23



C		1PC							
D	Ø8x30 	5PCS	I		4PCS	U		1PC	
V	 	4PCS	Y	6x50 	1PC	S	M4 	1PC	

ASSEMBLY INSTRUCTIONS

24




Scan to download App
control the Led light.

C		1PC	D	Ø8x30		5PCS	P	Ø8x40		
I		4PCS	Y	6x50		1PC	S	M4		1PC

ASSEMBLY INSTRUCTIONS


25



J	4x12		8PCS	M		4PCS
---	------	---	------	---	---	------

ASSEMBLY INSTRUCTIONS

26



J


4x12



8PCS

ASSEMBLY INSTRUCTIONS


27



R	4x30		30PCS
---	------	---	-------

ASSEMBLY INSTRUCTIONS

28



Z



1PC

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both Apple and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP, you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible for all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Android 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download


- Scan the QR code

iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:




3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "Louts Lantern wants to turn on Bluetooth." Click [Allow]




(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:

Bluetooth auto connect
after search for devices

Lamp list




Status of device connection



Device disconnected state

(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:


Scroll the selection mode

Adjust seed


Adjust luminance




(7) switch to the music rhythm interface:




(8) Switch to the microphone rhythm interface:



Music rhythm through the microphone on the product



(9) Switch to the schedule interface:





CERTIFICATE OF CONFORMITY

Certificate No : DACE241127025RL
Applicant : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product : 5050 LED strip
Trade Mark : N/A
Model(s) : 6X2835-WY, 8X2835-WY
Test Report No : DACE241127025RL001
Test Standards : BS EN IEC 55015:2019+A11:2020
BS EN IEC 61547:2023

The EUT described above has been tested by us with the listed standards and found in compliance with the council SI 2016 No. 1091 Electromagnetic Compatibility Regulations 2016. It is possible to use UKCA marking to demonstrate the compliance with this EMC Directive.




For Chief Executive, Tom Chen
Date: December 2, 2024

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.

Shenzhen DACE Testing Technology Co., Ltd.

102 Building H1 & 1/F., Building H, Hongfa Science & Technology Park,
Tangtou, Shiyan, Bao'an District, Shenzhen, Guangdong, China

Web: <http://www.dace-lab.com>, Tel: +86-755-23010613 E-mail: service@dace-lab.com

