



# ASSEMBLY INSTRUCTION N652P307711 / N652P307712





#### **TIPS**

- 1. This product is divided into 2 parcels for delivery. They may not arrive at the same time. Please wait patiently.
- 2.Please read the instructions fully before assembly. These instructions include important information which could ensure correct assembly. We have been working on providing high quality products for you. However, in the rare instance that your product is defective, missing parts or there are some issues, please don't hesitate to contact our customer service to submit parts requirements, assembly suggestion, or warranty claims, and we will give the best solution as soon as possible. If necessary, we need you to provide some more clear pictures of the issue.
- 3.Insert the screws in holes and tighten the screws, but not too tight, 70%~80% is ok, finally tighten all the screws. If some issues happened that some screws can not target to the hole or some parts are difficult to install, please adjust the tightness of the screws.
- 4.2 people are recommended to finish.












### Step 2:








### Step 3:





come through the hole






























## **Step 13:**







## **Step 14:**










#### LED light


If you can't let the lights work successfully, please check the following:


- 1.Please check the direction of the connect,try it in the opposite direction,according to the following picture.
- 2.Please check the remote control,it need you to tear down the plastic septum before use it.
- 3.If one of the colors is not bright, please check whether the four wires in the plug are skewed, and move the main line to make the four wires flush.

#### (LED-Licht)

- Wenn Sie die Lampe nicht erfolgreich funktionieren lassen, überprüfen Sie bitte Folgendes:
- 1. Bitte überprüfen Sie die Verbindungsrichtung und versuchen Sie in der entgegengesetzten Richtung gemäß der Abbildung unten.
- 2. Bitte überprüfen Sie die Fernbedienung und entfernen Sie die Kunststoffmembran vor Gebrauch.
- 3. Wenn eine der Farben nicht hell ist, überprüfen Sie bitte, ob die vier Drähte im Stecker schief sind, und bewegen Sie die Hauptleitung, um die vier Drähte bündig zu machen.







I here is a QR code at this position of the power cord, which can be scanned to download the APP and operate the LED light strip.

- 1. Please check the direction of the arrow
- 2. Please pull the plastic block out of the remote control
- 3. Please check whether the four wires of the plug are neat
- (1. Bitte überprüfen Sie die Richtung des Pfeils
- 2. Ziehen Sie bitte den Kunststoffblock von der Fernbedienung
- 3. Bitte überprüfen Sie, ob die vier Drähte des Steckers bündig sind)

Operation Instructions of Controller (Betriebsanleitung des Reglers)

I .Specifications: (Spezifikationen)

Working temperature: -20-60 ℃ (Arbeitstemperatur:-20-60 ℃)

(Versorgungsspannung: DC12V)

Supply voltage: DC12V

Product size:L62xW35xH23mm (Produktgröße:L62xW35xH23mm)

Package size:L95xW68xH45mm (Packungsgröße:L95xW68xH45mm)

Net weight:42g (Nettogewicht:42g) Gross weight:57g (Bruttogewicht:57g)

Output:Three CMOS drain- open output (Ausgabe:Drei CMOS Drain- Open Ausgang)

Connecting Mode: Common anode (Verbindungsmodus:Gemeinsame Anode)

Max load current: 2 A each color (Maximaler Ladestrom: 2 A pro Farbe)

#### II .Control Method:


Adopt RF remoter to control the led controller, which has 24 buttons, the function of each button as the table below:

(Kontrollmethode:

Nehmen Sie RF-Fernbedienung an, um den geführten Controller zu steuern, der 24-Tasten hat, die Funktion jeder Taste wie die Tabelle unten:)

Brightness +(Speed up)	Brightness - (Speed down)	Off	On
(Helligkeit +(Beschleunigung))	(Helligkeit - (Geschwindigkeit runter))	(Aus)	(Ein)
Static red	Static green	Static blue	Static white
(Statisches Rot)	(Statisch grün)	(Statisch blau)	(Statisch weiß)
Static orange	Static pea green	Static dark blue	7 color jumpy change
(Statisch orange)	(Statisches Erbsengrün)	(Statisch dunkelblau)	(7 Farbwechsel)
Static dark yellow	Static cyan	Static brown	All fade out&fade in
(Statisch dunkelgelb)	(Statisches Cyan)	(Statisch braun)	(All fade out&fade in)
Static yellow	Static light blue	Static pink	7 color fade change
(Statisch gelb)	(Statisch hellblau)	(Statisch rosa)	(7 Farbwechsel)
Static straw yellow	Static sky blue	Static purple	3 base color jumpy
(Statisches Strohgelb)	(Statisches Himmelblau)	(Statisches Lila)	(3 Grundfarbe nervös)

III.Panel specification and connecting drawing as follows: (Plattenspezifikation und Anschlusszeichnung wie folgt)



IV.Warning:

- 1. Supply voltage of this product is USB5V never connect to DC24V or AC220V.
- 2. Never connect two wires directly in case of short circuit.
- 3.Lead wire should be connected correctly according to colors that connecting diagram offers.
  4.Warranty of this product is one year, in this period we guarantee replacement or repairing with no charge, but exclude the artificial situation of damaged or overload working.

#### (Warnung:

- 1. Supply Spannung dieses Produkts ist USB5V niemals mit DC24V oder AC220V verbinden.
- 2. Nie verbinden Sie zwei Drähte direkt im Falle eines Kurzschlusses.
- Lead Draht sollte entsprechend den Farben richtig angeschlossen werden, die Verbindungsdiagramm anbietet.
- 4. Warranty dieses Produkts beträgt ein Jahr, in diesem Zeitraum garantieren wir Ersatz oder Reparatur ohne Gebühr, schließen aber die künstliche Situation der beschädigten oder überlasteten Arbeit aus.)

#### WARNING

THIS PRODUCT CONTAINS A BUTTON BATTERY

If swallowed, a lithium button battery can cause severe or fatal injuries within 2 hours.

Keep batteries out of reach of children.

If you think batteries may have been swallowed or placed inside any part of the body, seek immediate medical attention.

### **!** WARNUNG

Dieses Produkt enthält eine Knopfbatterie

Beim Verschlucken kann eine Lithium-Knopfbatterie innerhalb von zwei Stunden schwere oder tödliche Verletzungen verursachen. Bewahren Sie Batterien außerhalb der Reichweite von Kindern auf.


Wenn Sie glauben, dass Batterien verschluckt oder in einen Teil des Körpers gelegt wurden, suchen Sie sofort einen Arzt auf. If you can't make the lights work successfully, please check the following:

- 1. Please check the remote control. You need to tear off the remote plastic septum before use.
- 2. Don't let the remote control be too far from the receiver There is no obstacle between them.
- 3. Please note that the remote control does not

contain

batteries for transportation. The battery model is: CR2025

NOTA: La pila del mando a distancia debe comprarla e instalarla usted mismo Modelo CR2025 3.V





### **Attestation of Compliance**

Declaration No.: MK23110141P01-E01

Name and address of Shenzhen Hongzhengyu Technology Co., LTD

Shenzhen baoan district rock street industrial science and technology

Applicant:

industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Shenzhen Hongzhengyu Technology Co., LTD

Shenzhen baoan district rock street industrial science and technology

Manufacturer:

industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: RGB package

Rated: DC5V

HZY-5050RGB-30D-90R-DC5V, HZY-5050RGB-30D-30R-DC5V,

Product model(s): HZY-5050RGB-60D-60R-DC5V, HZY-5050RGB-60D-180R-DC5V, HZY-

5050RGB-18D-18R-DC5V

Product trademark: N/A

This Attestation of Compliance confirms that the product meets the requirements of the following standard

BS EN IEC 55015:2019+A11:2020

IEC 61547:2020

BS EN IEC 61000-3-2:2019 BS EN 61000-3-3:2013/A2:2021

The Attestation of Compliance has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23110141P01-E01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Declaration issue date: December 2025 02

Notes:

This Attestation of Compliance is issued according to the Great Britain legislation Electromagnetic Compatibility Regulations 2016 (SI 2016 No. 1091). It confirms that the listed products complies with all essential requirements of the Regulations and applies only to the sample and its technical documentation to TMC Testing Services (Shenzhen) Co., Ltd. for testing.

After preparation of the necessary technical documentation (which must be kept for up 10 years after the product is placed on the GB market) as well as the UK Declaration of Conformity, the required UKCA marking can be affixed on the product. Other relevant Regulations have to be observed.

#### TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street,

Baoan District, Shenzhen, China







Shenzhen KOT Testing Technology Co.,Ltd.

7/F, Building 1, Xunyuan Zhichuanggu Industrial Park, Fengtang Avenue, Fuhai Street, Baoan District, Shenzhen



## Certificate of Compliance

Certificate Number: KOT-2021035986C

Certificate's Holder

: SHEN ZHEN BAIZE ELECTRONIC TECHNOLOGY LIMITED FL3 BLDG A XIXIANG GUSUKANGYUANINDUSTRIAL

ZONE BAOAN DIST SHENZHEN, CHINA

Manufacturer

: SHEN ZHEN BAIZE ELECTRONIC TECHNOLOGY LIMITED FL3 BLDG A XIXIANG GUSUKANGYUANINDUSTRIAL

ZONE BAOAN DIST SHENZHEN, CHINA

Product : Charger

Trade Mark : N/A

Model(s) : BZ-A017-1

BZ-A0XX, BZ-A002, BZ-A003, BZ-A004, BZ-A005,

BZ-A006, BZ-A007, BZ-A008, BZ-A009, BZ-A010, BZ-A011, BZ-A012, BZ-A013, BZ-A014, BZ-A015, BZ-A016, BZ-A017,

BZ-A017-1, BZ-A018, BZ-A019, BZ-A020, BZ-A0XXX.

Test Standard : EN 55032:2015+A11:2020, EN 55035:2017+A11:2020

EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019

EN 61000-4-2:2009, EN 61000-4-3:2020,

EN 61000-4-4:2012, EN 61000-4-5:2014+A1:2017,

EN 61000-4-6:2014, EN 61000-4-8:2010,

EN 61000-4-11:2020

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: KOT-2021035986C.





Page 23 0f 23

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Directives to be observed.