



Cabinet Bed

N652P317997/N652P317996









TIPS

1. Please read the instructions fully before assembly. These instructions include important information which could ensure correct assembly. We have been working on providing high quality products for you. However, in the rare instance that your product is defective, missing parts or there are some issues, please don't hesitate to contact our customer service to submit parts requirements, assembly suggestion, or warranty claims, and we will give the best solution as soon as possible. If necessary, we need you to provide some more clear pictures of the issue.
2. Insert the screws in holes and tighten the screws, but not too tight, 70%~80% is ok, finally tighten all the screws. If some issues happened that some screws can not target to the hole or some parts are difficult to install, please adjust the tightness of the screws.



















1. This product is not suitable for mattress recessed type.
2. This product is suitable for placing mattresses on the top.
























Part List N652P317996 1/3

| | | | | |
|---|---|---|---|---|
|  1PC |  2PCS |  2PCS |  1PC |  4PCS |
|  4PCS | | | | |



Part List N652P317997 2/3

| | | | | |
|---|--|---|---|--|
|  2PCS |  3PCS |  1PC |  1PC |  1PC |
|  1PC |  1PC |  2PCS |  1PC |  1PC |
|  2PCS |  1PC |  2PCS |  10PCS |  1PC |
|  1PC | | | | |


Part List N652P317996 3/3

| | | | | |
|--|--|--|---|---|
| <p>A</p>  <p>M8 x 13mm</p> <p>4PCS</p> | <p>B</p>  <p>Ø1/4" x 11mm</p> <p>40PCS</p> | <p>C</p>  <p>Ø1/4" x 14mm</p> <p>16PCS</p> | <p>D</p>  <p>Ø5 x 50mm</p> <p>8PCS</p> | <p>E</p>  <p>Ø1/4" x 25mm</p> <p>4PCS</p> |
| <p>F</p>  <p>Ø1/4" x 50mm</p> <p>11PCS</p> | <p>G</p>  <p>8PCS</p> | <p>H</p>  <p>8PCS</p> | <p>I</p>  <p>Ø5 x 38mm</p> <p>4PCS</p> | <p>J</p>  <p>Ø3 x 12mm</p> <p>2PCS</p> |
| <p>K</p>  <p>Ø1/4" x 16mm</p> <p>4PCS</p> | <p>L</p>  <p>M3</p> <p>1PC</p> | <p>M</p>  <p>M4</p> <p>1PC</p> | <p>N</p>  <p>M5</p> <p>1PC</p> | <p>O</p>  <p>1PC</p> |
| <p>P</p>  <p>1PC</p> | <p>Q</p>  <p>2PCS</p> | <p>R</p>  <p>20PCS</p> | <p>S</p>  <p>16PCS</p> | <p>T</p>  <p>8PCS</p> |
| <p>U</p>  <p>4PCS</p> | <p>V</p>  <p>1PC</p> | <p>W</p>  <p>1PC</p> | | |


1




2



3




4




Please pay attention to the number of holes on the front and back of panel ⑩ and ⑪ in the picture. Don't install the wrong sides.

5




| | | |
|------------|--|------|
| (G) | | 4PCS |
|------------|--|------|

6





| | | |
|------------|--|------|
| (D) | | 4PCS |
| (I) | | 4PCS |


7




8




Please pay attention to the direction of the metal bolt plate.





9




| | | |
|--------------|--|------|
| (B) |  | 4PCS |
| Ø1/4" x 11mm | | |

10




| | | |
|-----------|---|------|
| (D) |  | 2PCS |
| Ø5 x 50mm | | |

11






| | | |
|----------|--|------|
| G | | 4PCS |
|----------|--|------|

12




| | | |
|----------|---------------|------|
| O | | 1PC |
| Q | | 1PC |
| J | Ø3 x 12mm | 2PCS |



13




Please pay attention to the direction of the metal bolt plate.




14




15



16




17




Lock screw I to 100% first, then lock screw B 20%,
then card accessories W and V to screw B, and finally lock




18




19




20



21




22




Expand the folded portion


23




24



ATTENTION: This metal plate is on the bottom instead of on top. Don't install it wrongly.





25




26


Assemble the slats




1. Squeeze the clamp (R) tightly.



2. Put the clamp into the gaps.



3. Put the slat (20) into the clamp.




4. Finished.



| | | |
|-----|--|-------|
| (R) | | 20PCS |
|-----|--|-------|

Expand the drawer frame


27





28




29

x 4

30

x 4


31




x 4

| | | |
|-----|--|------|
| (U) | | 4PCS |
| (K) | | 4PCS |
| (B) | | 4PCS |

32



Stick LED strip(P) underneath board(11), attach the LED strip to the edges.





CERTIFICATE OF CONFORMITY

Electrical Equipment (Safety) Regulation 2016

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.....: 24SP01101L02
Report No.....: SP2401101L02
Date Issue.....: 2024-04-26
Applicant's name.....: Guangdong Sangu Technology Co., Ltd
Address.....: 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name.....: Guangdong Sangu Technology Co., Ltd
Address.....: 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description.....: POWER ADAPTER
Model(s)/Type References : SG-050yyyyB, GA-050yyyyB, GAT-050yyyyB, HZ-050yyyyB, SG-050yyyyAB, GA-050yyyyAB, GAT-050yyyyAB, HZ-050yyyyAB, SG-050yyyyABC, GA-050yyyyABC, GAT-050yyyyABC, HZ-050yyyyABC, SG-xxxxyyyy12AB (xxx, yyyy are variables, see table A for details)
Parameters.....: Input: 100-240V~, 50/60Hz, 0.3A Max. (For models SG-050yyyyB, GA-050yyyyB, GAT-050yyyyB, HZ-050yyyyB, SG-050yyyyAB, GA-050yyyyAB, GAT-050yyyyAB, HZ-050yyyyAB, SG-050yyyyABC, GA-050yyyyABC, GAT-050yyyyABC, HZ-050yyyyABC)
Input: 100-240V~, 50/60Hz, 0.6A Max. (For models SG-xxxxyyyy12AB)
Output: See table B for details
Standard(s).....: BS EN IEC 62368-1:2020+A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant UKCA mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu
Director of engineering department



CERTIFICATE OF CONFORMITY

Electrical Equipment (Safety) Regulation 2016

Appendix of Certificate No.: 24SP01101L02

Table A: Definition of variables


| Variable | Range of variable | Content |
|----------|-------------------|---|
| xxx | 050-240 | 3 digits, indicates 10 times of output voltage in V and in step of 0.1V. eg. 050=5.0V, 240=24.0V. |
| yyyy | 0100-2100 | 4 digits, indicates 1000 times of output current in A and in step of 0.01A. eg. 0100=0.1A, 2100=2.1A. |

Table B: Model list and output ratings:

| Model | Output voltage (Vdc) | Output current (A) | Max Power (W) | Transformer |
|--|----------------------|--------------------|---------------|-------------|
| SG-050yyyyB, GA-050yyyyB, GAT-050yyyyB, HZ-050yyyyB, SG-050yyyyAB, GA-050yyyyAB, GAT-050yyyyAB, HZ-050yyyyAB, SG-050yyyyABC, GA-050yyyyABC, GAT-050yyyyABC, HZ-050yyyyABC | 5.0 | 0.10-2.0 | 10.0 | EF1510 |
| SG-xxxxyyy12AB | 5.0-5.5 | 0.10-2.1 | 11.55 | EF1510-1 |
| | 5.6-12.0 | 0.10-2.0 | 12.00 | |
| | 12.1-24.0 | 0.10-1.0 | 12.00 | |

Remark:

- 1) The rated output voltage is rising from 5.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.1A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.



Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

Attestation of Compliance

| | |
|-----------------------------------|---|
| Declaration No.: | MK23110141P01-E01 |
| Name and address of Applicant: | Shenzhen Hongzhengyu Technology Co., LTD Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A |
| Name and address of Manufacturer: | Shenzhen Hongzhengyu Technology Co., LTD Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A |
| Product name: | RGB package |
| Rated: | DC5V |
| Product model(s): | HZY-5050RGB-30D-90R-DC5V, HZY-5050RGB-30D-30R-DC5V, HZY-5050RGB-60D-60R-DC5V, HZY-5050RGB-60D-180R-DC5V, HZY-5050RGB-18D-18R-DC5V |
| Product trademark: | N/A |

This Attestation of Compliance confirms that the product meets the requirements of the following standard.

BS EN IEC 55015:2019+A11:2020

IEC 61547:2020

BS EN IEC 61000-3-2:2019

BS EN 61000-3-3:2013/A2:2021

The Attestation of Compliance has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23110141P01-E01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Declaration issue date: December 5, 2023

Notes:

This Attestation of Compliance is issued according to the Great Britain legislation Electromagnetic Compatibility Regulations 2016(SI 2016 No. 1091). It confirms that the listed products complies with all essential requirements of the Regulations and applies only to the sample and its technical documentation to TMC Testing Services (Shenzhen) Co., Ltd. for testing.

After preparation of the necessary technical documentation (which must be kept for up to 10 years after the product is placed on the GB market) as well as the UK Declaration of Conformity, the required UKCA marking can be affixed on the product. Other relevant Regulations have to be observed.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shihuan Street, Baoan District, Shenzhen, China



UK CA

The logo for IAS (International Approval Service) is a green square with the letters 'IAS' in white.

Certificate of Conformity

Certificate No. : IAS250224003S

Report No. : IAS250224003S

Applicant : Dongguan Yali Electric Appliance Co., Ltd
Address : 8 / F, Building 9, No. 6, Yuyuan 4th Road, Yuyuan Industrial Zone, Huangjiang Town, Dongguan City, Guangdong Province, China
Product : Furniture Power Distribution Unit
Brand Name : N/A
Model No. : YL-USBAC-09-PD20W
Ratings : Ratings: 250V~, 50/60Hz, 16A
QC3.0 USB-A1/A2 output: 5.0VDC, 3.0A; 9.0VDC, 2.22A; 12.0VDC, 1.67A; 20.0W Max;
PD USB-C output: 5.0VDC, 3.0A; 9.0VDC, 2.22A; 12.0VDC, 1.67A; 20.0W Max;
USB output total: 20.0W Max
Test Standard(s) : EN IEC 62368-1:2020+A11:2020

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Applicant's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive.

This certificate does not imply assessment of the series-production of the product. The Applicant of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.




A purple circular stamp with the text 'International Approval Service Limited' around the perimeter and a stylized 'A' in the center. A signature is written over the stamp.
Christian Maes
(Manager)

2025-03-06

INTERNATIONAL APPROVAL SERVICE LIMITED

UNIT 616, 6/F., KAM TEEM INDUSTRIAL BUILDING, 135 CONNAUGHT ROAD WEST, SAI WAN, HONG KONG

| | |
|---|--|
| Importer | COMHARBOR LIMITED |
| Add | WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIF T POINT,COSFORD LANE,RUGBY,CV21 1PY,GB |
| Email | harborcomhar@gmail.com |
| Manufactcrer | Dongguan Yali Electric Appliance Co., Ltd |
| Add | 8 / F, Building 9, No. 6, Yuyuan 4th Road, Yuyuan Industrial Zone, Huangjiang Town, Dongguan City, Guangdong Province, China |
| Email/URL | xbt2019@126.com |
| Product identification | C662XKS20250508JQ |
| MADE IN | CHINA |
|  | COMHARBOR LIMITED WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIF T POINT,COSFORD LANE,RUGBY,CV21 1PY,GB harborcomhar@gmail.com |
|   | Product Name:Furniture Power Distribution Unit Model:YL-USBAC-09-PD20W Rated voltage:DC 5V Rated frequency: 50/60Hz Power:20.0W Max |
| Importer | COMHARBOR LIMITED |
| Add | WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIFT POINT,COSFORD LANE,RUGBY,CV21 1PY,GB |
| Email | harborcomhar@gmail.com |
| Manufactcrer | Shenzhen Hongzhengyu Technology Co., LTD |
| Add | Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A |
| Email/URL | xbt2019@126.com |
| Product identification | C662XKS20250508JQ |
| MADE IN | CHINA |
|  | COMHARBOR LIMITED WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIF T POINT,COSFORD LANE,RUGBY,CV21 1PY,GB harborcomhar@gmail.com |
|   | Product Name:RGB Model:HZY-5050RGB-60D-5V Rated voltage:DC 5V Rated frequency: 50/60Hz Power:4.5W/M |
| Importer | COMHARBOR LIMITED |
| Add | WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIFT POINT,COSFORD LANE,RUGBY,CV21 1PY,GB |
| Email | harborcomhar@gmail.com |
| Manufactcrer | Guangdong Sangu Technology Co., LTD |
| Add | 402,Chuangye building, 8-28,Shaqi community Central Road,Xinqiao street,Bao`an District,Shenzhen. |
| Email/URL | xbt2019@126.com |
| Product identification | C662XKS20250508JQ |
| MADE IN | CHINA |
|  | COMHARBOR LIMITED WAREHOUSE 1& HEAD OFFICE,UNIT C,SWIFT POINT,COSFORD LANE,RUGBY,CV21 1PY,GB harborcomhar@gmail.com |
|   | Product Name:POWER ADAPTER Model:5G-0502111AB Rated voltage:100-240V Rated frequency: 50/60Hz Power:10.0W |