


# ASSEMBLY INSTRUCTION

N652P324288/N652P324289

N652P324290/N652P324291





## TIPS

1.This product is divided into 2 parcels for delivery. They may not arrive at the same time.Please wait patiently.

2.Please read the instructions fully before assembly. These instructions include important information which could ensure correct assembly. We have been working on providing high quality products for you. However, in the rare instance that your product is defective,missing parts or there are some issues, please don't hesitate to contact our customer service to submit parts requirements, assembly suggestion,or warranty claims, and we will give the best solution as soon as possible. If necessary,we need you to provide some more clear pictures of the issue.

3.Insert the screws in holes and tighten the screws, but not too tight, 70%~80% is ok,finally tighten all the screws. If some issues happened that some screws can not target to the hole or some parts are difficult to install, please adjust the tightness of the screws.

4.2 people are recommended to finish.




















There is a QR code at this position of the power cord, which can be scanned to download the APP and operate the LED light strip.

power cord












# Part list

N652P324288/N652P324290

<div>1</div>  <div>x 1</div>	<div>3</div>  <div>x 1</div>	<div>4</div>  <div>x 1</div>	<div>6</div>  <div>x 1</div>	<div>9</div>  <div>x 1</div>
<div>11</div>  <div>x 1</div>	<div>15</div>  <div>x 1</div>	<div>16</div>  <div>x 2</div>	<div>17</div>  <div>x 1</div>	
<div>18</div>  <div>x 2</div>	<div>20</div>  <div>x 1</div>	<div>24</div>  <div>x 1</div>		
<div>25</div>  <div>x 1</div>	<div>28</div>  <div>x 1</div>	<div>29</div>  <div>x 1</div>	<div>Q</div>  <div>x 11</div>	<div>S</div>  <div>x 22</div>


















# Hardware list

N652P324288/N652P324290


<div>A</div>  <div>M8x15 x 39</div>	<div>B</div>  <div>M8x25 x 13</div>	<div>C</div>  <div>M8x45 x 7</div>	<div>D</div>  <div>M8x35 x 8</div>	<div>E</div>  <div>M8 x 4</div>	<div>F</div>  <div>x 8</div>	<div>G</div>  <div>M6x70 x 2</div>	<div>H</div>  <div>M6x20 x 4</div>	<div>I</div>  <div>x 1</div>	<div>J</div>  <div>M6 x 1</div>	<div>K</div>  <div>M8 x 1</div>	
---	--	---	---	--	---	---	---	---	--	--	--

Part list


N652P324289/N652P324291

<div>2</div> <div></div> <div>x 1</div>	<div>5</div> <div></div> <div>x 2</div>	<div>7</div> <div></div> <div>x 22</div>	<div>8</div> <div></div> <div>x 1</div>	<div>10</div> <div></div> <div>x 1</div>	
<div>12</div> <div></div> <div>x 2</div>	<div>13</div> <div></div> <div>x 1</div>	<div>14</div> <div></div> <div>x 3</div>	<div>19</div> <div></div> <div>x 2</div>	<div>21</div> <div></div> <div>x 2</div>	<div>22</div> <div></div> <div>x 4</div>
<div>23</div> <div></div> <div>x 1</div>	<div>26</div> <div></div> <div>x 2</div>	<div>27</div> <div></div> <div>x 1</div>	<div>L</div> <div></div> <div>x 2</div>	<div>R</div> <div></div> <div>x 2</div>	
<div>30</div> <div></div> <div>x1</div>					





This product is not suitable for mattress recessed type.



This product is suitable for placing mattresses on the top.

## IMPORTANT NOTICE OTTOMAN OPERATING INSTRUCTIONS

Once your bed frame is completely assembled, the slat unit will not operate correctly unless a mattress is placed on the slat frame. Position the mattress on the slat frame whilst it is in the closed position.

**PLEASE NOTE** - It takes a lot of force to make the initial movement of the ottoman. This is a design feature of the product so that it does not fall shut-the nearer to being closed the ottoman is, the easier it is to move. When the ottoman is almost shut, it will close completely under its own weight.



When lowering the slat unit for the first time, take care to make sure it does not rub unevenly on the inside face of the side rails. If it does, the bed has been assembled slightly out of square. This can be rectified by moving the foot end of the bed slightly to the left or right whilst leaving the headend stationary.

## PISTONS

The pistons used in the construction of this product are extremely strong and cannot be operated by hand when taken off the ottoman. All pistons are tested for correct pressure and operation before being attached to the slat unit. Initially it might appear that the pistons are very stiff when opening and closing the ottoman.


### THIS IS PERFECTLY NORMAL

When fully assembled and the mattress is in position, please raise and lower the ottoman 4/5 times to ensure the gas piston are fully lubricated.




Step 1:


- C





x 4
- F



x 8
- K




x 1




Step 2:


- B





x 2
- K




x 1







Step 3:

- G**  x 2
- J**  x 1





Step 4:



- A**  x 1
- C**  x 3
- K**  x 1




Step 5:





Step 6:




Installation position diagram



Step 7:



Installation position diagram




## Step 8:



x 8



x 1



## Step 9:



x 4




x 1




x 4



x 1



## Step 10:



## Step 11:





x 4



x 1

NOTE: Do Not Overtighten






## Step 12:



x 8



x 1




## Step 13:



x 4



x 1




## Step 14:

**B** 

x 3



**K** 

x 1




## Step 15:




**11**



## Step 16:



Step 16:



## LED light



If you can't let the lights work successfully, please check the following:

1. Please check the direction of the connect, try it in the opposite direction, according to the following picture.
2. Please check the remote control, it need you to tear down the plastic septum before use it.
3. If one of the colors is not bright, please check whether the four wires in the plug are skewed, and move the main line to make the four wires flush.

### (LED-Licht)

(Wenn Sie die Lampe nicht erfolgreich funktionieren lassen, überprüfen Sie bitte Folgendes:

1. Bitte überprüfen Sie die Verbindungsrichtung und versuchen Sie in der entgegengesetzten Richtung gemäß der Abbildung unten.
2. Bitte überprüfen Sie die Fernbedienung und entfernen Sie die Kunststoffmembran vor Gebrauch.
3. Wenn eine der Farben nicht hell ist, überprüfen Sie bitte, ob die vier Drähte im Stecker schief sind, und bewegen Sie die Hauptleitung, um die vier Drähte bündig zu machen.)



UK: There is a two-dimensional code at the position of the power line. Scanning can download the APP for the control light  
DE: Scannen Sie den QR-Code auf dem Adapter und laden Sie die APP zum Einstellen der Beleuchtung herunter.  
FR: Veuillez scanner le code QR sur le cordon d'alimentation et télécharger l'APP pour contrôler le ruban LED

1. Please check the direction of the arrow
  2. Please pull the plastic block out of the remote control
  3. Please check whether the four wires of the plug are neat
- (1. Bitte überprüfen Sie die Richtung des Pfeils  
2. Ziehen Sie bitte den Kunststoffblock von der Fernbedienung  
3. Bitte überprüfen Sie, ob die vier Drähte des Steckers bündig sind)

## Operation Instructions of Controller (Betriebsanleitung des Reglers)

### I. Specifications: (Spezifikationen)

Working temperature: -20-60 °C  
(Arbeitstemperatur: -20-60 °C)

Supply voltage: DC12V  
(Versorgungsspannung: DC12V)

Product size: L62xW35xH23mm  
(Produktgröße: L62xW35xH23mm)

Package size: L95xW68xH45mm  
(Packungsgröße: L95xW68xH45mm)

Net weight: 42g  
(Nettogewicht: 42g)

Gross weight: 57g  
(Bruttogewicht: 57g)

Output: Three CMOS drain- open output  
(Ausgabe: Drei CMOS Drain- Open Ausgang)

Connecting Mode: Common anode  
(Verbindungsmodus: Gemeinsame Anode)

Max load current: 2 A each color  
(Maximaler Ladestrom: 2 A pro Farbe)

### II. Control Method:


Adopt RF remoter to control the led controller, which has 24 buttons, the function of each button as the table below:

(Kontrollmethode:

Nehmen Sie RF-Fernbedienung an, um den geführten Controller zu steuern, der 24-Tasten hat, die Funktion jeder Taste wie die Tabelle unten:)

Brightness +(Speed up) (Helligkeit +(Beschleunigung))	Brightness - (Speed down) (Helligkeit - (Geschwindigkeit runter))	Off (Aus)	On (Ein)
Static red (Statisches Rot)	Static green (Statisch grün)	Static blue (Statisch blau)	Static white (Statisch weiß)
Static orange (Statisch orange)	Static pea green (Statisches Erbsengrün)	Static dark blue (Statisch dunkelblau)	7 color jumpy change (7 Farbwechsel)
Static dark yellow (Statisch dunkelgelb)	Static cyan (Statisches Cyan)	Static brown (Statisch braun)	All fade out&fade in (All fade out&fade in)
Static yellow (Statisch gelb)	Static light blue (Statisch hellblau)	Static pink (Statisch rosa)	7 color fade change (7 Farbwechsel)
Static straw yellow (Statisches Strohgelb)	Static sky blue (Statisches Himmelblau)	Static purple (Statisches Lila)	3 base color jumpy (3 Grundfarbe nervös)

### III. Panel specification and connecting drawing as follows: (Plattenspezifikation und Anschlusszeichnung wie folgt)



### IV. Warning:

1. Supply voltage of this product is USB5V never connect to DC24V or AC220V.
2. Never connect two wires directly in case of short circuit.
3. Lead wire should be connected correctly according to colors that connecting diagram offers.
4. Warranty of this product is one year, in this period we guarantee replacement or repairing with no charge, but exclude the artificial situation of damaged or overload working.

### (Warnung:

1. Supply Spannung dieses Produkts ist USB5V niemals mit DC24V oder AC220V verbinden.
2. Nie verbinden Sie zwei Drähte direkt im Falle eines Kurzschlusses.
3. Lead Draht sollte entsprechend den Farben richtig angeschlossen werden, die Verbindungsdiagramm anbietet.
4. Warranty dieses Produkts beträgt ein Jahr, in diesem Zeitraum garantieren wir Ersatz oder Reparatur ohne Gebühr, schließen aber die künstliche Situation der beschädigten oder überlasteten Arbeit aus.)

## ! WARNING

### THIS PRODUCT CONTAINS A BUTTON BATTERY

If swallowed, a lithium button battery can cause severe or fatal injuries within 2 hours.

Keep batteries out of reach of children.

If you think batteries may have been swallowed or placed inside any part of the body, seek immediate medical attention.

## ! WARNUNG

### Dieses Produkt enthält eine Knopf-Batterie

Beim Verschlucken kann eine Lithium-Knopf-Batterie innerhalb von zwei Stunden schwere oder tödliche Verletzungen verursachen.

Bewahren Sie Batterien außerhalb der Reichweite von Kindern auf.

Wenn Sie glauben, dass Batterien verschluckt oder in einen Teil des Körpers gelegt wurden, suchen Sie sofort einen Arzt auf.



KeySense Testing & Certification International Co., Ltd.  
1-3F, Lab Building, No.29 District, Zhongkai Hi-Tech  
Industrial Development Park, Huizhou, Guangdong,  
China

Tel:0752-3219929  
Fax:0752-3219929  
<http://www.kst-cert.com>

# Technical Compliance Statement

Certificate No.: KST250313A001Q01

Report No.:KST250313A001Q01

The following products have been tested by us with the listed standards and found in compliance with the council UK EMC Regulations (SI 2016/1091) .

It is demonstrative for the compliance with this EMC Directive.

**Holder:** Dong Guan City Luckking Electronics Co.,Ltd

**Address:** Building 1, No.3, Qinghutou Innovation Road Tangxia Town, Dongguan City, Guangdong

**Product:** Furniture Power Distribution Unit

**Model Name:** LKS055C

**Trade Name:** LUCKKING

Test Standard	
■ EMC	BS EN 55032:2015+A11:2020 BS EN 55035:2017+A11:2020 BS EN IEC 61000-3-2:2019+A2:2024 BS EN 61000-3-3:2013+A2:2021

**UK  
CA**

**Signature:**

**Name:**

**Position:**

**Date:**

Jack.Li

Supervisor

March 17, 2025



The statement is based on single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.





KeySense Testing & Certification International Co., Ltd.  
1-3F, Lab Building, No.29 District, Zhongkai Hi-Tech  
Industrial Development Park, Huizhou, Guangdong,  
China

Tel: 0752-3219929  
Fax: 0752-3219929  
<http://www.kst-cert.com>

# Technical Compliance Statement

Certificate No.: KST240829E001Q03

Report No.: KST240829E001Q03

The following product has been tested by us with the listed standards and found in Compliance with the council EMC directive 2014/30/EU. It is demonstrative for the Compliance with this EMC Directive.

**Holder:** Dong Guan City Luckking Electronics Co., Ltd

**Address:** 201 No. 6, Fengqing Road, Fenghuanggang Village, Tangxia  
Town, Dongguan City Guangdong Province P.R.China

**Product:** Furniture Power Distribution Unit

**Model Name:** LKS055C

**Trade Name:** LUCKKING

Test Standard	
EN 55032:2015+A11:2020	Electromagnetic compatibility of multimedia equipment – Emission requirements
EN IEC 61000-3-2:2019+A1: 2021	Electromagnetic Compatibility (EMC) Part 3-2: Limits-Limits for harmonic current emissions (equipment input current $\leq 16A$ per phase)
EN 61000-3-3:2013+A2: 2021	Electromagnetic Compatibility (EMC) Part 3-3: Limits-limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16A$ per phase and not subject to conditional connection
EN 55035:2017+A11:2020	Electromagnetic compatibility of multimedia equipment – Immunity requirements



**Signature:**

**Name:**

**Position:**

**Date:**

Jack Li

Supervisor

September 6, 2024



The statement is based on single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

Importeur	COMHARBOR LIMITED
Add	Unit C, Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	harborcomhar@gmail.com
Hersteller	Dong Guan City Luckking Electronics Co.,Ltd
Add	201 No.6, Fengqing Road, Fenghuanggang Village, TangxiaTown, Dongguan City Guangdong Province P.R.China
Email/URL	zkt@zkt-lab.com
Product identification	C991XSY20250512JQ
Made in	China
	COMHARBOR LIMITEDUnit C, Swit Point, Cosford Lane, Rugby, CV21 1PY, GBharborcomhar@gmail.com



Model: LKS055C  
IN PUT: 100~240V~50/60Hz 0.6A  
OUT PUT: USB-A: 5V 2A, USB-C: 5V 2A, USB-A+C: 5V 3A



# Attestation of Compliance

**Declaration No.:** MK23110141P01-E01

**Name and address of Applicant:** Shenzhen Hongzhengyu Technology Co., LTD  
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

**Name and address of Manufacturer:** Shenzhen Hongzhengyu Technology Co., LTD  
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

**Product name:** RGB package

**Rated:** DC5V

**Product model(s):** HZY-5050RGB-30D-90R-DC5V, HZY-5050RGB-30D-30R-DC5V, HZY-5050RGB-60D-60R-DC5V, HZY-5050RGB-60D-180R-DC5V, HZY-5050RGB-18D-18R-DC5V

**Product trademark:** N/A

This Attestation of Compliance confirms that the product meets the requirements of the following standard.

BS EN IEC 55015:2019+A11:2020

IEC 61547:2020

BS EN IEC 61000-3-2:2019

BS EN 61000-3-3:2013/A2:2021

*The Attestation of Compliance has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:*

**Test report(s) No.:** MK23110141P01-E01

**Test conducted by:** TMC Testing Services (Shenzhen) Co., Ltd.

**Declaration issue date:** December 5, 2023

**Notes:**

*This Attestation of Compliance is issued according to the Great Britain legislation Electromagnetic Compatibility Regulations 2016 ( SI 2016 No. 1091). It confirms that the listed products complies with all essential requirements of the Regulations and applies only to the sample and its technical documentation to TMC Testing Services (Shenzhen) Co., Ltd. for testing.*

*After preparation of the necessary technical documentation (which must be kept for up 10 years after the product is placed on the GB market) as well as the UK Declaration of Conformity, the required UKCA marking can be affixed on the product. Other relevant Regulations have to be observed.*

**TMC Testing Services (Shenzhen) Co., Ltd.**

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street, Baoan District, Shenzhen, China



# UK CA

# Verification of Compliance

Verification No.: MK23020083-P01E01

Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**  
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**  
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: **Lamp strip**

Rated: 5V --- 1A  
HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V

Product model(s):

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.

The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with EMC Directive 2014/30/EU.

EN IEC 55015:2019+A11:2020

IEC 61547:2020

*The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:*

Test report(s) No.: MK23020083-P01E01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: February 25, 2024

## Notes:

*This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.*

*This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.*

*This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.*

**TMC Testing Services (Shenzhen) Co., Ltd.**

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street, Baoan District, Shenzhen, China



Lab Director  
Vivian Jiang

